20811Q 9EhhS001



FIGURE 1

214



Figure 2

Figure 3


309
300
301
System Administration
System
Paper Catalog
Name
Size
Color
Weight (gsm)
Type
Mode
Letter 8.5x11 white 75 plain 1,2-Sided
A4 210x297 white 80 plain 1,2-Sided
Tabloid 17x11 white 75 plain 1,2-Sided
A3 8.5x11 white 80 plain 1,2-Sided
Cover 8.5x11 white 135 cover 1,2-Sided
A4Cover 210x297 white 135 cover 1,2-Sided
Color 8.5x11 any 75 color 1,2-Sided
A4Color210x297 any 80 color 1,2-Sided
306
Edit Paper Catalog
Modify Catalog Attributes
Move Paper Up
Move Paper Down
Exit
302
303
304
305
308
Stop Print
Image-forming Machine
Ready
307
Detack Charger
Ready
307

Figure 4


309
300
402
401
400
System Administration
System
Paper Catalog
Modify Catalog Attributes
406
Weight (gsm)
75
80
90
105
120
135
160
165
175
200
New Weight (gsm)
Add
Delete
Exit
403
404
405
307
Ready
Stop Print
307
Ready
308

500


501
Detack Charger/Paper Weight Setpoint
(Adjustable range of 60 - 200 gsm)
Enter the maximum paper weight in grams per square meter that the Detack Charger will be truned on for.
502
504
503
RESET TO DEFAULT
COMMUNICATIONS ESTABLISHED

Figure 5